



# **SMITH RIVER BIOLOGICALS**

Quality Biologicals and Prepared Media for the Laboratory Professional

## **Certificate of Analysis**

### **Tryptic Soy Broth, Single Strength**

Product Number: XX-TSBS90

Fill Volume: 90 ± 2 mL

Lot Number: 2303280

Expiration: 9/28/2023

This is to certify that representative samples of this lot of media were tested in accordance with routine microbiological procedures in our Quality Assurance Laboratory. The following organisms were used and gave the following results and reactions:

#### **Performance Testing**

<u>Test Organisms</u>	<u>Growth</u>
<i>S. aureus</i> ATCC®25923	Growth
<i>E. faecalis</i> ATCC®29212	Growth
<i>S. epidermidis</i> ATCC®12228	Growth
<i>E. coli</i> ATCC®25922	Growth

Microbial testing was performed aerobically at 35-37°C for 18-24 hours

Sterility testing was performed at 35-37°C for 24 hours

Growth approved by: \_\_\_\_\_

(QA Manager)

#### **Microbial Load**

Lot Size: 30L

Number of Units Sampled: 14

Final pH at 25°C: 7.3±0.2

#### **Appearance**

Uninoculated medium is light to medium amber and may have a precipitate.

Lot approved by: \_\_\_\_\_

(QA Manager)

This product is not intended for the diagnosis or treatment of human disease.