



# SMITH RIVER BIOLOGICALS

Quality Biologicals and Prepared Media for the Laboratory Professional

## Certificate of Analysis

### SDA Emmons with Chloramphenicol and Tween 80

Product Number: B-SDAECT250

Expiration: 2/7/2024

Fill Volume: 250 ± 20 mL

Lot Number: 2308070

This is to certify that representative samples of this lot of media were tested in accordance with routine microbiological procedures in our Quality Assurance Laboratory. The following organisms were used and gave the following results and reactions:

#### Performance Testing

<u>Test Organisms</u>	<u>Growth</u>
<i>A. brasiliensis</i> ATCC®16404	Growth
<i>C. albicans</i> ATCC®10231	Growth
<i>E. coli</i> ATCC® 8739	Inhibited

Microbial testing was performed aerobically at 35-37°C for 18-24 hours

Sterility testing was performed at 35-37°C for 24 hours

Growth approved by: \_\_\_\_\_

  
(QA Manager)

#### Microbial Load

Lot Size:	17 L
Number of Units Sampled:	10
pH at 25°C:	6.9 ± 0.2

#### Appearance

Lot approved by: \_\_\_\_\_

  
(QA Manager)

This product is not intended for the diagnosis or treatment of human disease.