



SMITH RIVER BIOLOGICALS

Quality Biologicals and Prepared Media for the Laboratory Professional

Certificate of Analysis

TAT Broth

Product Number: B-TAT490

Expiration: 4/6/2026

Fill Volume: 490 mL±20 mL

Lot Number: 2510060

This is to certify that representative samples of this lot of media were tested in accordance with routine microbiological procedures in our Quality Assurance Laboratory. The following organisms were used and gave the following results and reactions:

Performance Testing

<u>Test Organisms</u>	<u>Growth</u>
<i>E. coli</i> ATCC® 25922	Growth
<i>S. aureus</i> ATCC® 25923	Growth
<i>C. albicans</i> ATCC® 10231	Growth
<i>P. aeruginosa</i> ATCC® 27853	Growth

Microbial testing was performed aerobically at 35-37°C for 18-24 hours

Sterility testing was performed at 35-37°C for 24 hours

Growth approved by: _____


(QA Manager)

Microbial Load

Lot Size:	16L
Number of Units Sampled:	2
Final pH at 25°C:	7.2±0.2

Appearance

Uninoculated media is a straw colored liquid with a slight precipitate

Lot approved by: _____


(QA Manager)

This product is not intended for the diagnosis or treatment of human disease.